

# StarMaker<sup>®</sup> HP

Weatherproof **Tunable** Production LED PANEL



**The StarMaker<sup>®</sup> Weatherproof Tunable Production LED PANEL has a high CRI and TLCI\* for accurate colors. It has an IP65 ingress protection rating for use under the rain or wet and dusty environments.**



[www.fluotec.net](http://www.fluotec.net)  
[info@fluotec.net](mailto:info@fluotec.net)


**FLUOTEC**   
...WE LIGHT!

The StarMaker<sup>®</sup> Weatherproof Tunable Production LED PANEL has a high CRI and TLCI\* for accurate colors. It has an IP65 ingress protection rating for use under the rain or wet and dusty environments.

Model	StarMaker <sup>®</sup> HP Tunable
Code V-Mount Battery Plate	G6LED190
Code Gold-Mount Battery Plate	G6LED191
Operation	90-240V - 50/60Hz
Weight lb/kg	10.6/4.8
Electrical Draw	.56A (66W) @120VAC
Battery Operation	14VDC
Remote variable CCT	2700K - 6200K
CRI	>97
Local dimming control	Digital Display 0% - 100%

## Characteristics

- The StarMaker<sup>®</sup> all terrain-weather: water & dust proof
- Available in Tunable: 2700K - 6200K CCT
- Portable rugged Tunable Production LED PANELS for extreme Production Lighting:
  - Rental Houses
  - Schools, Universities
  - Broadcast, Motion Pictures
  - Digital Cinema, Video and Photography




Photometric Data	Distance	1.83m (6.00ft)	2.74m (9.00ft)	3.66m (12.00ft)
------------------	----------	-------------------	-------------------	--------------------

Illuminance E Foot-Candles/lux

StarMaker<sup>®</sup> HP Neutral White



## Included accessories



Gel Frame  
G6LED068



16 ft POWERCON  
AC Cable with Switch  
G6PLT041




Stand Mount  
Spigot Mini  
G6FLT086



Honeycomb of 30°  
G6LED067



C-Clamp  
G6FLT262



Safety Cable  
G6FLT059

## SoftLIGHT control soft boxes



SoftBOX Studio<sup>®</sup> for StarMaker<sup>®</sup>  
G6LED145



SoftBOX Studio<sup>®</sup> 4 Leaf  
Barndoors for StarMaker<sup>®</sup>  
G6LED146





Code V-Mount: G6LED192  
Code Gold-Mount: G6LED195  
Case: 37.5 x 17.75 x 9" (95.2 x 45 x 22.9 cm)



Code V-Mount: G6LED193  
Code Gold-Mount: G6LED196  
Case: 37.5 x 17.75 x 9" (95.2 x 45 x 22.9 cm)



Code V-Mount: G6LED194  
Code Gold-Mount: G6LED197  
Case: 22.8 x 41.73 x 7.4" (58 x 106 x 19 cm)